



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
Period: January 1 to March 31, 2019

Hole ID	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
20-1235	434326.64	6107685.30	1211.76	401.42	277	-70.10	Near Pit infill/expansion
20-1236	434109.31	6107750.67	1227.23	337.11	274	-85.37	Near Pit infill/expansion
20-1237	434423.00	6108904.17	1071.40	26.82	270	-80.00	Near Pit infill/expansion
20-1238	434423.04	6108902.44	1071.42	571.65	265	-80.53	Near Pit infill/expansion
20-1239	435022.77	6109383.10	1060.20	349.30	263	-84.62	Near Pit infill/expansion


Notes: This information should be read together with our news release of May 1, 2020. C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. Projection: UTM NAD83 Zone 10N Azimuth: Relative to True North



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: January 1 to March 31, 2020


Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
20-1235	SS South/RF Extension	Section 6107700 N. Testing for zone of high gold:copper ratios (1.6-2.5 Au:Cu), SSW extension of Rainbow Fault and linear trend of porphyry stocks.	55.00	65.00	10.00	0.230	0.043	2.4
			74.00	101.00	27.00	0.177	0.028	1.3
			107.00	117.81	10.81	0.208	0.087	3.5
			176.80	184.00	7.20	0.134	0.115	1.1
			204.00	224.00	20.00	0.155	0.138	1.1
			232.00	328.87	96.87	0.291	0.131	2.0
			<i>Including</i>	240.00	242.00	2.00	3.036	0.862
	362.00	374.00	12.00	0.109	0.113	0.8		
20-1236	SS South/RF Extension	Section 6107750 N. Testing for zone of high gold:copper ratios (1.6-2.5 Au:Cu), SSW extension of Rainbow Fault and linear trend of porphyry stocks.	32.00	40.00	8.00	0.185	0.021	0.6
			112.00	120.81	8.81	0.115	0.024	1.4
			159.00	165.00	6.00	0.249	0.201	1.4
			173.09	179.00	5.91	0.125	0.083	0.9
			211.46	214.00	2.54	0.422	0.005	0.5
	237.00	254.15	17.15	0.227	0.079	1.8		
20-1237	Saddle zone	Section 6108900 N. Infill historically under-drilled area between Saddle and 66 zones.	<i>Abandoned due to ground conditions</i>					
20-1238	Saddle zone	Section 6108900 N. Redrill of 20-1237	<i>Results are pending</i>					
20-1239	Great Eastern Fault zone	Section 6109400 N. Test for mineralization in GE Fault zone and footwall block.	<i>Results are pending</i>					

Notes: Assays are reported true values without top cutting. Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au or 0.1% Cu and include maximum internal waste of 4.0 m where it exists. Intervals less than 2.0 m but with grade above 1.0 g/t Au are also reported. This information should be read together with our news release of May 1, 2020. C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 1, 2020

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 1, 2020.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.